

Test Report

Report No.: CTT181010301EN

Date: Oct. 11, 2018

Page 1 of 3

Client: PUBLIK D.O.O

Address: VLADIKE NIKOLAJA 469,14000 VALJEVO, SERBIA

The following merchandise was (were) submitted and identified by client as:

Sample Name: CHOPPING AND SERVING BOARDS MEZE HAM
Manufacturer: Asia Gateway Overseas
Manufacturer Address: 21/F, New world Tower 1, 18 Queens Road, Hong Kong
Supplier: Asia Gateway Overseas Ltd **Country of Origin:** China
Supplier Address: 21/F, New world Tower 1, 18 Queens Road, Hong Kong
Buyer: Publik d.o.o
Buyer Address: Vladike Nikolaja 469, 14000 Valjevo, Serbia
Sample Quantity: 2 per model
Sample Color: xx (00-99)
Sample Received Date: Oct. 08, 2018
Completed Date: Oct. 11, 2018

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s):

No.	Test Sample	Standard and Requirement	Conclusion(s)
1	Submitted sample	REGULATION (EC) No 1935/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on materials and articles intended to come into contact with food. - Extractable Heavy Metals(Lead(Pb), Cadmium(Cd),Mercury(Hg)) - Pentachlorophenol(PCP) - Formaldehyde	PASS

Signed for and on Behalf of CTT



Hilary He / Technical Manager
Consumer Testing Technology Co., Ltd.



This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor. This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

Extractable Heavy Metals(Lead(Pb), Cadmium(Cd),Mercury(Hg))

Method:

Lead(Pb)/Cadmium(Cd): With reference to EN 12498:2005, was analyzed by Inductively Coupled Plasma Mass Spectrometer (ICP-MS).

Mercury(Hg): With reference to EN 12497:2005, was analyzed by Inductively Coupled Plasma Mass Spectrometer (ICP-MS).

Material No.	Description	Location
Fc-1	Brown wood	Chopping board (41058 xx, 41059xx)

Elements	Pb	Cd	Hg	Conclusion
Limit (mg/dm ²)	0.003	0.002	0.002	
Material No.	Result (mg/dm ²)			PASS
Fc-1	<0.002	<0.002	<0.002	

Note: 1. mg/dm² = milligram per square decimetre of surface area of material or article.

Pentachlorophenol(PCP)

Method: With reference to EN ISO 15320:2011, analyzed by Gas Chromatograph-Mass Spectrometry (GC-MS).

Material No.	Description	Location
Fc-1	Brown wood	Chopping board (41058 xx, 41059xx)

Material No.	Limit (mg/kg)	Result (mg/kg)	Conclusion
Fc-1	0.15	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL (Reporting Limit) = 0.1 mg/kg.

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor . This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Result(s):

Specific migration of Formaldehyde

Method: With reference to CEN/TS 13130-23:2005, analyzed by Ultraviolet visible Spectroscopy (UV-Vis) .

Material No.	Description	Location
Fc-1	Brown wood	Chopping board (41058 xx, 41059xx)

Material No.	Limit(mg/dm ²)	Result(mg/dm ²)	Conclusion
Fc-1	1	<1	PASS

Note: 1. mg/dm² = milligram per square decimetre of surface area of material or article.

Photo of Sample:



End of Report

This test report is issued by the company subject to its General Conditions of Services printed overleaf or available on request and accessible at www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this report refer only to the sample(s) tested. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS, "s" means the item of subcontractor . This report is not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

