



中国认可
国际互认
检测
TESTING
CNAS L2162

TEST REPORT

REPORT NO. : WZA23009636

APPLICANT : Publik D.O.O.

THE COMPRDHENSIVE TECHNICAL SERVICE CENTER OF
WENZHOU CUSTOMS



TEST REPORT

Report No.: **WZA23009636**

Report Date: **2024-01-26**

Sample Description: Adjustable Premixing burner Refillable Utility Lighter, Metal Material

Brand: -----

Model^{#2}: COSTELLO

Item No. 22.059.XX (XX=00-99)

Weight: 137*110*63 mm /135.32g

Quantity: 35 PCS OF COMPLETE PRODUCT W/FUEL

Date received: 2023-12-27

Date Tested: 2023-12-27~2024-01-25

Date of Report: 2024-01-26

Applicant: Publik D.O.O.

Address: Vladike Nikolaja 469, 14 000 Valjevo, Serbia

Manufacturer:

Test Method: ISO 22702: 2018(E)- Utility lighters —safety specifications

Test Result(s): Details, please refer to the following pages

Determinant Result: Through test this lot of samples Do meet ISO 22702: 2018(E)- Utility lighters —safety specifications

Authorized signature :



Zhang An

Manager of Lighter Department

Note(s) :#2 means this information is provided by the customer, the laboratory is not responsible for its authenticity

Note: The test report is only responsible for the sample mentioned above. And the report shall not be reproduced except in full, without written approval of the laboratory.

TEST REPORT

Report No.: **WZA23009636**

Report Date: **2024-01-26**

ISO22702: 2018(E) Utility lighters—safety specifications.

Scope : This consumer safety specification covers all flame-producing consumer products commonly known as cigarette lighters, pipe lighters, and cigar lighters and such similar devices as defined in lighters. Matches are specifically excluded from this safety specification; flame-producing products intended solely for igniting apparatus other than cigars, pipes, and cigarettes are also specifically excluded from this safety specification. Lighters are specifically not intended for use as a candle, flashlight, or for other uses requiring an extended burn time.

NO. of Specimen : 35 pcs. of completed lighters with fuel

Test Condition : (21-25)°C

Test Result : **PASS.** Details shown as following table:

Test Item	Result	Note	Qty. tested
Clause 4 Functional requirements :			
Clause 4.1 Flame generation	PASS	----	35PCS
Clause 4.2 Flame heights	PASS	----	12PCS
Clause 4.3 Flame-height adjustment	PASS	----	32PCS
Clause 4.4 Resistance to spitting or sputtering and flaring	PASS	----	10PCS
Clause 4.5 Flame extinction	PASS	----	10PCS
Clause 4.6 Volumetric displacement	PASS	----	2PCS
Clause 4.7 Mass of fuel	PASS	----	2PCS
Clause 5 Structural-integrity requirements			
Clause 5.2 Resistance to dropping	PASS	----	8PCS
Clause 5.3 Resistance to elevated temperature	PASS	----	4PCS
Clause 5.4 Burning behaviour	PASS	----	4PCS
Clause 5.5 Resistance to continuous burning	PASS	----	4PCS
Clause 5.6 Resistance to cyclic burning	PASS	----	4PCS
Clause 5.7 External Finish	PASS	----	35PCS
Clause 5.8 Compatibility with fuel	PASS	----	4PCS
Clause 5.9 Resistance to internal pressure	PASS	----	4PCS
Clause 6 Refilling of lighters:	PASS	----	1PC
Clause 7 Instructions and Warnings:	N/C	#1	----
Clause 9 Product marking:	N/C	#1	----

Note(s) :#1 “NC” means not conducted on this report as client requested or not applicable.

To be cont'd....

Note: The test report is only responsible for the sample mentioned above. And the report shall not be reproduced except in full, without written approval of the laboratory.

TEST REPORT

Report No.: **WZA23009636**

Report Date: **2024-01-26**

Sample Photographs:



-----The end-----